


DEWRANCE

Features & Benefits

These valves are designed to bypass high pressure feedwater around a group of heaters in the event of high water level in the shell caused by a defective tube, weld or drain system. The time available to give protection to a turbine in modern feed systems is short but these valves can operate in approximately 5 seconds in a 300mm bore pipe system with the minimum of hydraulic shock. Protection is achieved in the system by installing fast closing tee and changeover valves in the pipework around a heater or group of heaters. These valves are equally applicable in new or established stations. The motive power employed is the feedwater pressure and the system is designed to 'fail safe' in that the heaters will be by-passed if either electric or pneumatic supplies fail.


As an alternative to the medium operated valves, a spring loaded bypass valve can be supplied. This is the simplest form of bypass which relieves at a set pressure and is fail

The Dewrance design has the advantages of a pressure seal bonnet and external spring adjustment whilst the valve is still under pressure.



Technical data

Sizes : 6" – 20" ASME : B16.34 – 1996 Pressure Class : 1690, 1715 int.



Legenda

- Fabricated steel handwheel.
- 2 Split stem (with separate coupling) to allow hand operation for commissioning and maintenance without having any effect on normal operation.
- 3 Position indication.
- 4 Expanded graphite packing.
- 5 Forged steel bonnet (A.S.T.M. A105-Carbon limit 0.25%).
- 6 Dewrance, Patented profiled stem arrangement to damp movement and prevent disc slamming onto seat when quick closing.
- 7 Exhaust from cylinder to quick acting valve.
- 8 Neck bush for adequate stem support.
- 9 Upper valve seat*, hard faced (Stellite or equivalent) removable for maintenance.
- 10 Valve disc. self aligning, double seated* and hard faced (Stellite or equivalent).
- 11 Lower valve seat, hard faced (Stellite or equivalent).
- 12 Butt weld ends.
- 13 Pressure seal bonnet.
- 14 Piston fitted with Piston rings.
- 15 Stainless steel cylinder liner.
- 16 Orifice to control flow into bottom of cylinder.
- 17 Lower seat ring welded.
- 18 Cast steel body (WCB) standard forged/fabricated body available in same sizes as an option.

^{*}Applies to two way changeover valve only.

Operation

This system is designed to be "FAIL SAFE". Failure of the controlling electric or pneumatic supplies will cause the main changeover and outlet valves to close and so isolate the feed side of the feed heater or heater bank.

Float switches on feed water heaters are intended to have contacts normally made and to break with rising water level. Relays and solenoid are normally energised and are to be continuously rated.

Assuming the unit to be in normal operation the changeover valve will be in the position shown i.e. with the bypass line isolated. The out of balance forces acting on the disc caused by a combination of the differential area between the bottom and top of the disc and the pressure drop across the heater bank, will hold it in this position.

The solenoids on the Quick Acting Valve will be normally energised allowing air pressure on the top of the diaphragm to keep the valve closed.

Rising water level in a heater will cause the float switch contacts to break, de-energising the solenoids on the Quick Acting Valve causing it to open.

When the Quick Acting Valve opens, water is exhausted from the lower chamber (A) of the operating cylinder of both the Changeover valve and the 2-way outlet valve at a far greater rate than it can enter through the small filling orifice (Refer to (16) on previous page).

Feed Water passes through the adjustable orifice into chamber (B) and the resulting pressure difference on the pistons causes both valves to isolate the heater or heater bank.

Control of the speed of operation, to reduce the effects of hydraulic shock, is by means of the adjustable orifice over the major part of the stroke and finally by the patented specially profiled stem and port arrangement which prevents any tendency for the disc to slam onto the seat.


During the above closing process, the electrically operated Dump Valve has also opened allowing the safety relief valve to operate and reduce the pressure in the heater and feed piping to ensure that both valves are held firmly closed under all conditions.

Any increase in pressure from whatever source in the isolated section of feed water piping between the two main valves, will be automatically reduced by the safety relief valve.


At the point of main valve closure the Quick Acting Valves will also close to prevent unnecessary loss of feed water to drain.

Dewrance medium operated valves are available in a wide variety of sizes and pressure classes and can be supplied together with the ancillary equipment to suit individual customers requirements.

Typical Feed Water Heater Isolation System



Single Bank Isolation



ASTM ASME Prod. Body Mat. code -20° to Pressure in lbf/sq. in. at Temp. °F (for intermediate ratings use linear interpolation) Forged Cast B16.34 100° 200 300 400 500 600 650 700 750 800 850* 900 950 975 1000 1025 1050 1075 No. W8A D A105 E A216 Std. 4235 3859 3751 3624 3424 3127 3070 3047 2881 2355 1531 Y8A D A105 E WCB Spec. 4288 4288 4288 4288 4288 4076 3996 3967 3602 2939 1910


Met	Metric 1715 int. Class (ASME B16.34 1996)																					
	ASTM		ASME																			
Prod.	Body Ma	ıt.	cc	ode	-30° to	Pre	ssure ir	n Bar a	at Tem	р. °С (for int	ermed	liate ra	tings u	ıse line	ear inte	rpolat	ion)				
No.	Forged	Cast	В.	16.34	38°	50	100	150	200	250	300	350	375	400	425	450*	475	500	525	550	575	600
W8A	D A105	E A216	St	td.	291.9	286.3	265.2	258.4	250.5	238.6	221.3	211.3	208.5	197.2	164.5	114.7	-	-	-	-	-	_
Y8A	D A105	E WCB	Sp	pec.	295.6	295.6	295.6	295.6	295.6	295.6	285.1	275.0	270.0	246.5	205.4	143.0	-	-	-	-	-	-

Imp	Imperial 1690 int. Class (ASME B16.34 1996)																				
DI	ASTM		ASME	000 +-	D		. 11-4/-			o r (6							1 . 4 .				
Proa.	Body Ma	it.	code	-20° to	Pres	ressure in lbf/sq. in. at Temp. °F (for intermediate ratings use linear interpolation)															
No.	Forged	Cast	B16.34	100°	200	300	400	500	600	650	700	750	800	850*	900	950	975	1000	1025	1050	1075
A73	D A105	E A216	Std.	4173	3803	3696	3571	3374	3082	3025	3002	2839	2320	1509	-	-	-	-	-	-	-
		E WCB	Spec.	4225								05.40		1882	_	_					


Met	Metric 1690 int. Class (ASME B16.34 1996)																				
	ASTM		ASME																		
Prod.	Body Ma	at.	code	-30° to	o Pre	essure	in Bar	at Tem	р. °С (for in	termed	liate ra	tings	use lin	ear inte	rpolat	ion)				
No.	Forged	Cast	B16.34	38°	50	100	150	200	250	300	350	375	400	425	450*	475	500	525	550	575	600
A73	D A105	E A216	Std.	287.6	282.1	261.3	254.7	246.9	235.1	218.1	208.2	205.4	194.3	162.1	113.0	-	-	-	-	_	_
A73	D A105	E WCB	Spec	291.3	291.3	291.3	291.3	291.3	291.3	280.9	271.0	266.0	247.9	202.4	140.9	_	_	_	_	_	_

Votes

^{*} Permissible but not recommended for prolonged usage above 800°F (425°C). Other pressure classes (up to 2500 class) available on request.



These valves can also be supplied with a direct mounted electric actuator.




Sizes 6"-20" ASME B16.34 1715 Int. Class

Main component materials									
Description	Carbon Steel								
Body	ASTM A216 WCB (0.25% C max)								
Pressure Seal	Expanded Graphite								
Bonnet	ASTM A105								
Valve Head	ASTM A105 H/F Stellite or Equivalent								
Seat	ASTM A105 H/F Stellite or Equivalent								

Hydrostatic shell & seat leak test pressures										
Body Material										
Press.	ASTM									
Class										
	Shell	Seat								
1715	6450 psi	4725 psi								
1715	444 bar	326 bar								

Din	Dimensions											
Size		Α	В	С	K	М	N	Product Numbers				
6	in	12.40	12.40	33	18	5.12	6.81					
150	mm	315	315	838	457	130	173	W8AE150P				
8	in	12.80	12.80	42	18	6.69	8.78					
200	mm	325	325	1067	457	170	223	W8AE200P				
10	in	17	17	46	24	8.35	10.94					
250	mm	432	432	1169	610	212	278	W8AE250P				
12	in	20.67	20.67	51	36	9.06	12.95					
300	mm	525	525	1295	914	230	329	W8AE300P				
14	in	21.65	21.65	55	36	11.02	14.25					
350	mm	550	550	1397	914	280	362	W8AE350P				
16	in	24.76	24.76	57	36	12.64	16.26					
400	mm	629	629	1448	914	321	413	W8AE400P				
18	in	27.63	27.63	60	36	14.09	18.31					
450	mm	702	702	1524	914	358	465	W8AE450P				
20	in	28.98	28.98	63	36	15.63	20.31					
500	mm	736	736	1600	914	397	516	W8AE500P				




Sizes 6"-20" ASME B16.34 1715 Int. Class

Main component materials									
Description	Carbon Steel								
Body	ASTM A216 WCB (0.25% C max)								
Pressure Seal	Expanded Graphite								
Bonnet	ASTM A105								
Valve Head	ASTM A105 H/F Stellite or Equivalent								
Seat	ASTM A105 H/F Stellite or Equivalent								

Hydrostatic shell & s	seat leak test pressures								
Body Material Press. ASTM									
Press.	A-216 WCB								
Class									
	Shell	Seat							
1715	6450 psi	4725 psi							
1715	444 bar	326 bar							

Dimensi	ons						
Size	Α	В	С	K	М	N	Product Numbers
6 in	12.40	12.40	33	18	5.12	6.81	
150 mm	315	315	838	457	130	173	W8AE150P
8 in	12.80	12.80	42	18	6.69	8.78	
200 mm	325	325	1067	457	170	223	W8AE200P
10 in	17	17	47	18	8.35	10.94	
250 mm	432	432	1194	457	212	278	W8AE250P
12 in	20.67	20.67	51	36	10.04	12.99	
300 mm	525	525	1295	914	255	330	W8AE300P
14 in	21.65	21.65	55	36	11.02	14.25	
350 mm	550	550	1397	914	280	362	W8AE350P
16 in	24.76	24.76	57	36	12.64	16.26	
400 mm	629	629	1448	914	321	413	W8AE400P
18 in	27.64	27.64	60	36	14.09	18.31	
450 mm	702	702	1524	914	358	465	W8AE450P
20 in	28.98	28.98	63	36	15.63	20.31	
500 mm	736	736	1600	914	397	516	W8AE500P




Sizes 6"-20" ASME B16.34 1715 Int. Class

Main component materials									
Description	Carbon Steel								
Body	ASTM A216 WCB (0.25% C max)								
Pressure Seal	Expanded Graphite								
Bonnet	ASTM A105								
Valve Head	ASTM A105 H/F Stellite or Equivalent								
Seat	ASTM A105 H/F Stellite or Equivalent								

Hydrostatic shell & seat leak test pressures										
Body Material Press. ASTM										
Class	A-216 WCB									
Class		Cont								
	Shell	Seat								
1715	6450 psi	4725 psi								
1715	444 bar	326 bar								

Dimens	Dimensions											
Size	Α	В	B1	С	K	М	N	Product Numbers				
6 in	12.40	12.40	18.70	39.25	18	5.12	6.81					
150 mm	315	315	475	997	457	130	173	Y8AE150P				
8 in	12.80	12.80	19.10	51	24	6.69	8.78					
200 mm	325	325	485	1295	610	170	223	Y8AE200P				
10 in	17	17	26.42	55.43	24	8.35	10.94					
250 mm	432	432	871	1408	610	212	278	Y8AE250				
12 in	20.67	20.67	27.56	61.85	24	9.06	12.95					
300 mm	525	525	700	1571	610	230	329	Y8AE300P				
14 in	21.65	21.65	28.54	65	36	11.02	14.25					
350 mm	550	550	725	1651	914	280	362	Y8AE350P				
16 in	24.76	24.76	31.65	70	36	12.64	16.26					
400 mm	629	629	804	1778	914	321	413	Y8AE400P				
18 in	27.63	27.63	44.13	75	36	14.09	18.31					
450 mm	702	702	1121	1905	914	358	465	Y8AE450P				
20 in	28.98	28.98	46.22	79	36	15.63	20.31					
500 mm	736	736	1174	2007	914	397	516	Y8AE500P				



Sizes 8"-18" ASME B16.34 1690 Int. Class

Main component materials						
Description	Carbon Steel					
Body	ASTM A216 WCB (0.25% C max)					
Pressure Seal	Expanded Graphite					
Bonnet	ASTM A105					
Spring	FV 520B (17/4 PH)					
Disc Guide	17/4 PHSS					

Hydrostatic shell & s	seat leak test pressures						
Body Material Press. ASTM							
Class	A-216 WCB						
	Shell	Seat					
1690	6350 psi	450 psi					
1690	438 bar	31 bar					

Dimensio	ons						
	Lift pre	ss. psi/bar					
Size	Min.	Max.	Α	С	M	N	Product Numbers
8 in	20	44	35	23.6	6.69	8.78	A73E200P
200 mm	1.4	3.0	889	399.4	169.9	223	
10 in	20	44	39	26.2	8.35	10.94	A73E250P
250 mm	1.4	3.0	991	665.5	212.1	277.9	
12 in	20	44	44.5	32.1	10.04	12.99	A73E300P
300 mm	1.4	3.0	1130	815.3	255	32.9	
14 in	20	44	49.5	37	11.02	14.25	A73E350P
350 mm	1.4	3.0	1257	939.8	279.9	362	
16 in	20	44	53	39.1	12.64	16.26	A73E400P
400 mm	1.4	3.0	1346	993.1	321	413	
18 in	20	44	61	41.3	14.09	18.31	A73E450P
450 mm	1.4	3.0	1549	1049	357.9	465.1	

ASTM spe	ecification	Ferrous											
Туре	Forgings						Castings				Studs		
Main use	Bonnets, Covers, Seats Discs						Valve Bodies				Covers, Glands		
ASTM Spec	A105	A182	A276	A182	BS970	A182	A216	A217	A217	ASTM A743	A193	A193	A193
(UNS)		F22	420	F347	316S31	F91	WCB	WC6	WC9	GR.C12A	GR.B7	GR.B16	GR.B6
Carbon %	0.75 max	0.15 max	0.15 min	0.08 max	0.07	0.08/0.12	0.30 max	0.20 max	0.05/0.18	0.12	0.37/0.49	0.36/0.47	0.15 max
Silicon %	1.5 max	0.5 max	1.0 max	1.0 max	1.0	0.2/0.5	0.6 max	0.6 max	0.6 max	0.2/0.5	0.15/0.35	0.15/0.35	1.0 max
Mang.%	-	0.3/0.6	1.0 max	2.0 max	2.0	0.3/0.6	1.0 max	0.5/0.8	0.40/0.70	0.3/0.6	0.65/1.1	0.45/0.70	1.0 max
Chrom.%	-	2.0/2.5	12.0/14.0	17.0/20.0	16.5/18.5	8.0/9.5	*0.5 max	1.0/1.5	2.0/2.75	8.0/9.5	0.75/1.2	0.80/1.15	11.5/13.5
Molybd.%		0.87/1.13	-	-	2.0/2.5	0.85/1.05	*0.20max	0.45/0.65	0.90/1.2	0.85/1.05	0.15/0.25	0.50/0.65	-
Nickel %	-	-	-	9.0/13.0	10.5/13.5	0.4 max	*0.5 max	*0.5 max	*0.50 max	0.4	-	-	-
Copper	-	-	-	-		-	*0.3 max	0.5 max	*0.50 max	-	-	-	-
Sulphur	0.08 max	0.04 max	0.03 max	0.03 max	0.03	0.01 max	0.045 max	0.045 max	0.045 max	0.018	0.04 max	0.040 max	0.03 max
Phosp. %	0.08 max	0.04 max	0.04 max	0.045max	0.045	0.02max	0.04 max	0.04 max	0.04 max	0.02	0.035 max	0.035 max	0.04 max
Niobium %	-	-	-	-		-	-	-	-		-	-	-
Vanadium	75/85	-	-	-		-	0.03	-	-		-	0.25/0.35	-
Almumin.%	2.0 max	-	-	-		-	-	-	-		-	0.015 max	-
Iron %	BAL	BAL	BAL	BAL	BAL	BAL	BAL	BAL	BAL	BAL	BAL	BAL	BAL
U.T.S.ksi min	70	60		75	74	85	70	70	70	85	125	125	110
Yield ksi min	36	30		30	30	60	36	40	40	60	105	105	85

^{*} Residual elements total 1.0% max

Ferrous								
Туре	Plate		В	Nuts				
Main use	Covers	St	tems	Pill	ars	Covers, Glands		
ASTM Spes	ASTM A516	A276 ASTM A565-		A108	A193	A194	A194	A194
(UNS)	GR 70	S43100	XM32	G10200	GR.B7	GR.2H	GR.4	GR.B8
Carbon %	0.18/0.31	0.2 max	0.08/0.15	0.18/0.23.	0.37/0.49	0.40min	0.4/0.5	-0.08 max
Silicon %	0.13/0.45	1.0 max	0.35 max	-	0.15/0.35	0.4 max	0.15/0.35	1.0 max
Mang.%	0.6/1.2	1.0 max	0.5/0.9	0.3/0.6	0.65/1.1	1.0 max	0.7/0.9	2.0 max
Chrom.%	-	15/17	11/12.5	-	0.75/1.20	-	-	18.0/20.0
Molybd. %	_		1.5/2.0	_	0.15/0.25	-	0.20/0.30	_
Nickel %	-	1.25/2.50	2.0/3.0	-		-	-	8.0/10.5
Copper	_	-	_	-	_	-	_	-
Sulphur	0.035 max	0.03 max	0.025 max	0.05 max	0.04 max	0.05 max	0.04 max	0.03 max
Phosp. %	0.035 max	0.04 max	0.025 max	0.04 max	0.35 max	0.04 max	0.035 max	0.045 max
Niobium %	-	-	-	-	-	-	-	-
Vanadium	-	-	0.25/0.40	-	_	-	_	-
Almumin.%	-	-	-	-	-	-	-	-
Iron %	BAL	BAL	BAL	BAL	BAL	BAL	BAL	BAL
U.T.S.ksi min	55		115		100			
Yield ksi min	30		75		75			

Non Ferrous							
Туре	Non Ferrous						
Main use	Sleeve Gland						
ASTM Spec	B150						
(UNS)	C63000						
Almumin.%	9.0–11.0						
Silicon %	0.25 max						
Mang.%	1.5 max						
Tin. %	0.2 max						
Zinc %	0.3 max						
Nickel %	4.0-5.5						
Copper	BAL						
Iron %	2.0-4.0						
Phosp.%	-						
Niobium %	-						
Vanadium	-						
Lead %	-						
U.T.S.ksi min	94						
Yield KIS MIN	46						

